455UGINED 80701

## APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

SEP 3 0 19/6
Map filed SEP 3 0 1976 under 30699
., Inc. (dba Dunes Hotel)
th of Las Vegas City or Town
, hereby make. S. application for permission to change the
use and manner of use of a portion
No. 12809, Certificate No. 5144
or Claim Nos. If Decreed, give title of Decree and identify right in Decree,)
(Las Vegas Artesian Basin) Name of stream, lake or other source.
375 c.f.s., 100.00 acre feet annually
Second feet, acre feet.  cipal (Hotel and Golf Pro Shop) and domesti  If for stock state number and kind of animals.
ation  If for stock state number and kind of animals,
point in the NE¼ SE¼ of Section 20, T.21S.,
int from which the $E^{\frac{1}{4}}$ corner of said survey and by course and distance to a section corner. If on unsurveyed land, it should be 05'50" East, a distance of 921 feet
hin the NW $\frac{1}{4}$ NE $\frac{1}{4}$ of Section 4, T.21S.,
int from which the N¼ corner of said of diversion is not changed, do not answer.
59'20" West, 71.20 feet.
ection 20, T.21S., R.61E., MDB&M y legal subdivisions. If for irrigation state number of acres to be irrigated.
ction 4, T.21S., R.62E., MDB&M (80 acres)
to December 31st of each year.  Day and Month  December 31st
to December 31st of each year.  Day and Month
provisions of NRS 535.010 you may be required to submit plans and
orks.) Drilled wells, pumps, pipelines  State manner in which water is to be diverted, whether by dam or other works,
es of use

12. Estimated time required to construct works. COMPLETE  14. Estimated time required to complete the application of water to beneficial use. 5. YERIS.  15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.  Water will be used in conjunction with water from other permits to serve the existing and proposed hotel and golf pro shop.  Compared. ba/jw lk/sk. Applicant M & R Investment Co., Inc., Applicant M & R Investment Co., Inc., R. LeRoy Givens, State Water Right/ By. Co Boyts Englishering Corporation 1209 South Commerce St.  APPROVAL OF STATE ENGINEERS, Nevada Selocation of the water of a portion of the water so of a underground source as here-tofore granted under? Permit 12809, Certificate 5144 is issued subject to the terms and conditions: Inposed in said Permit 12809, Certificate 5144 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in prevent waster means surements must be kept of water placed and maintained in the discharge pippline care the point of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  The amount of water to be changed shall be filed before. May 8, 1977  Proof of commencement of work shall be filed before. May 8, 1977  Proof of membracement of work shall be filed before. May 8, 1977  Proof of enterical use filed. BAY 19 1977  Proof of the material use filed. Bay 1977  Application of water to beneficial use shall be filed on or before. May 8, 1980.  Map in support of proof of beneficial use shall be filed on or before. May 8, 1997  Proof of the material and the		
14. Estimated time required to complete the application of water to beneficial use .5. YERES.  15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.  Water will be used in conjunction with water from other permits  to serve the existing and proposed hotel and golf pro shop.  Compared. bs/iw lk/sk Applican Registry Components of the existing and proposed hotel and golf pro shop.  Compared. bs/iw lk/sk Applican Registry Components of the expect of the existing components of the expect of the proposed to the following limitations and conditions:  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit to change the point of diversion, manner and place of use of a portion of the waters of an underground source as here-tofore granted under Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be dependent of the water begins or before the proof of completion of work itself the well is flowing, a valve must be installed and maintained in the fine the proof of the water herein granted at any and all times.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. 0.3325	12. Estimated cost of works existing	
15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.  Water will be used in conjunction with water from other permits to serve the existing and proposed hotel and golf pro shop.  Compared	13. Estimated time required to construct works complete	
Compared	14. Estimated time required to complete the application of water to beneficial	use 5 years
water will be used in conjunction with water from other permits to serve the existing and proposed hotel and golf pro shop.  Compared. DsW/jw lk/sk Applicany M & R Investment Co. Inc. By R. LeRoy Givens, State Water Right/ EVO Boy R LeRoy Givens, State Water Right/ EVO Boy R LeRoy Givens, State Water Right/ EVO Boy R State	15. Remarks: For use other than irrigation or stock watering, state number an	d type of units to be served or annual
Compared bg/jw lk/sk Applican M & R Investment Co., Inc.  R. LeRoy Givens Surveyo By R. LeRoy Givens State Water Right/ Co' Boyle Engineering Corporation  1209 South Commerce St.  APPROVAL OF STATE ENGINEERING Comporation  1209 South Commerce St.  APPROVAL OF STATE ENGINEERING Corporation  1209 South Commerce St.  APPROVAL OF STATE ENGINEERING Corporation  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit to change the point of diversion, manner and place of use of a portion of the waters of an underground source as here- tofore granted under Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equilpped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.3375	·	er from other permits
Compared. bs/jw lk/sk Applican, M & R Investment Co., Inc. By. Cro Givens, State Water Right/By. Cro Boyle Engineering Corporation 1209 South Commerce St. APPROVAL OF STATE ENGNEER.  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit to change the point of diversion, manner and place of use of a portion of the waters of an underground source as here-tofore granted under Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534-030. The State retains the right to regulate the use of the water herein granted at any and all times.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.  0.3375  cubic feet per second. but not to exceed.  100.0 acre-feet annually.  Actual construction work shall be filed before.  May 8, 1977  Proof of completion of work shall be filed before.  May 8, 1977  Proof of beneficial use shall be made on or before.  May 8, 1980  Map in support of proof of beneficial use shall be filed on or before.  May 8, 1980  Map in support of proof of beneficial use shall be filed on or before.  May 8, 1980  Map in support of proof of bene	to serve the existing and proposed hotel as	nd golf pro shop.
Compared. bs/jw lk/sk Applican, M & R Investment Co., Inc. By. Cro Givens, State Water Right/By. Cro Boyle Engineering Corporation 1209 South Commerce St. APPROVAL OF STATE ENGNEER.  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit to change the point of diversion, manner and place of use of a portion of the waters of an underground source as here-tofore granted under Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534-030. The State retains the right to regulate the use of the water herein granted at any and all times.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.  0.3375  cubic feet per second. but not to exceed.  100.0 acre-feet annually.  Actual construction work shall be filed before.  May 8, 1977  Proof of completion of work shall be filed before.  May 8, 1977  Proof of beneficial use shall be made on or before.  May 8, 1980  Map in support of proof of beneficial use shall be filed on or before.  May 8, 1980  Map in support of proof of beneficial use shall be filed on or before.  May 8, 1980  Map in support of proof of bene		
Compared. bs/jw lk/sk Applican, M & R Investment Co., Inc. By. Cro Givens, State Water Right/By. Cro Boyle Engineering Corporation 1209 South Commerce St. APPROVAL OF STATE ENGNEER.  This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:  This permit to change the point of diversion, manner and place of use of a portion of the waters of an underground source as here-tofore granted under Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534-030. The State retains the right to regulate the use of the water herein granted at any and all times.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.  0.3375  cubic feet per second. but not to exceed.  100.0 acre-feet annually.  Actual construction work shall be filed before.  May 8, 1977  Proof of completion of work shall be filed before.  May 8, 1977  Proof of beneficial use shall be made on or before.  May 8, 1980  Map in support of proof of beneficial use shall be filed on or before.  May 8, 1980  Map in support of proof of beneficial use shall be filed on or before.  May 8, 1980  Map in support of proof of bene		
tollowing limitations and conditions:  This permit to change the point of diversion, manner and place of use of a portion of the waters of an underground source as here-tofore granted under Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.  100.0 acre-feet annually.  Actual construction work shall begin on or before.  April 8, 1977  Proof of commencement of work shall be filed before.  May 8, 1977  Proof of completion of work shall be filed before.  May 8, 1977  Proof of the application of water to beneficial use shall be filed on or before.  May 8, 1980  Map in support of proof of beneficial use shall be filed on or before.  May 8, 1980  May 1917  Completion of work filed.  MAY 19 1917  Comp	Compared bs/jw lk/sk Applicant M & R S/ R. Let By R. LeRoy C/O Boy 10	Investment Co., Inc.  Roy Givens Surveyo  Givens, State Water Right/ e Engineering Corporation  09 South Commerce St.
This permit to change the point of diversion, manner and place of use of a portion of the waters of an underground source as here-tofore granted under Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shail be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. 0.3375	This is to certify that I have examined the foregoing application, and do	hereby grant the same, subject to the
of use of a portion of the waters of an underground source as here- tofore granted under Permit 12809, Certificate 5144 is issued subject to the terms and conditions imposed in said Permit 12809, Certificate 5144 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.  The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed. 0.3375. cubic feet per second. but not to exceed.  100.0 acre-feet annually.  Actual construction work shall begin on or before. April 8, 1977  Proof of commencement of work shall be filed before. May 8, 1977  Proof of completion of work shall be filed before. May 8, 1977  Proof of the application of water to beneficial use shall be made on or before. May 8, 1980  Map in support of proof of beneficial use shall be filed on or before. May 8, 1980  Map in support of proof of beneficial use shall be filed on or before. May 8, 1980  Map in support of proof of beneficial use shall be filed on or before. May 8, 1980  Map in support of proof of beneficial use shall be filed on or before. May 19 1977  Completion of work filed. May 19 1977  Nor file this shall be be beneficial use shall be filed on or be	following limitations and conditions:	
to exceed	of use of a portion of the waters of an underg tofore granted under Permit 12809, Certificate to the terms and conditions imposed in said Pe 5144 and with the understanding that no other will be affected by the change proposed herein be equipped with a 2-inch opening and a totali installed and maintained in the discharge pipe of diversion and accurate measurements must be to beneficial use. The totalizing meter must any use of the water begins or before the proowork is filed. If the well is flowing, a valvand maintained to prevent waste. This source area designated by the State Engineer pursuant State retains the right to regulate the use of	round source as here- 5144 is issued subject rmit 12809, Certificate rights on the source The well shall zing meter must be eline near the point kept of water placed be installed before of completion of the must be installed is located within an to NRS 534.030. The
Actual construction work shall begin on or before	The amount of water to be changed shall be limited to the amount which can	n be applied to beneficial use, and not
Actual construction work shall begin on or before	-	
Proof of commencement of work shall be filed before.  May 8, 1977  Work must be prosecuted with reasonable diligence and be completed on or before. April 8, 1977  Proof of completion of work shall be filed before.  May 8, 1977  Application of water to beneficial use shall be made on or before.  April 8, 1980  Proof of the application of water to beneficial use shall be filed on or before.  May 8, 1977  April 8, 1980  Proof of the application of water to beneficial use shall be filed on or before.  MAY 1 9 1977  Commencement of work filed.  MAY 1 9 1977  Completion of work filed.  MAY 1 9 1977  IN TESTIMONY WHEREOF, I. ROLAND. D. WESTERGARD.  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this.  8 th. day of February.		
Work must be prosecuted with reasonable diligence and be completed on or before. April 8, 1977  Proof of completion of work shall be filed before. May 8, 1977  Application of water to beneficial use shall be made on or before. April 8, 1980  Proof of the application of water to beneficial use shall be filed on or before. May 8, 1980  Map in support of proof of beneficial use shall be filed on or before. May 8, 1980  MAY 19 1977  Commencement of work filed MAY 19 1977  Completion of work filed MAY 19 1977  Completion of beneficial use filed. MAY 19 1977  Cultural map filed. State Engineer of Nevada, have hereunto set my hand and the seal of my office, this. 8th. day of February.	Actual construction work shall begin on or before	April 8, 1977
Proof of completion of work shall be filed before May 8, 1977  Application of water to beneficial use shall be made on or before May 8, 1980  Proof of the application of water to beneficial use shall be filed on or before May 8, 1980  Map in support of proof of beneficial use shall be filed on or before May 1 9 1977  Commencement of work filed MAY 1 9 1977  Completion of work filed MAY 1 9 1977  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this May of February  AD 19 77	Proof of commencement of work shall be filed before	May 8, 1977
Application of water to beneficial use shall be made on or before.  April 8, 1980  Proof of the application of water to beneficial use shall be filed on or before.  May 8, 1980  Map in support of proof of beneficial use shall be filed on or before.  Commencement of work filed.  MAY 19 1977  Completion of work filed.  MAY 19 1977  State Engineer of Nevada, have bereunto set my hand and the seal of my office. this.  8th. day of February.  Cultural map filed.  April 8, 1980  May 8, 1980  IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD, State Engineer of Nevada, have bereunto set my hand and the seal of my office. this.  8th. day of February.	Work must be prosecuted with reasonable diligence and be completed on or b	pefore April 8, 1977
Proof of the application of water to beneficial use shall be filed on or before.  May 8, 1980  May in support of proof of beneficial use shall be filed on or before.  MAY 19 1977  Commencement of work filed.  MAY 19 1977  Completion of work filed.  State Engineer of Nevada, have hereunto set my hand and the seal of my office, this.  8th. day of February.  AD 19 77	Proof of completion of work shall be filed before	May 8, 1977
Map in support of proof of beneficial use shall be filed on or before.  MAY 19 1977  Commencement of work filed MAY 19 1977  Completion of work filed MAY 19 1977  Completion of beneficial use filed MAY 19 1977  Cultural map filed MAY 19 1977  Cultural map filed MAY 19 1977  A D 19 77	Application of water to beneficial use shall be made on or before	April 8, 1980
Commencement of work filed MAY 19 1977  Completion of work filed MAY 19 1977  Completion of work filed MAY 19 1977  Completion of beneficial use filed MAY 19 1977  Cultural map filed A D 19 77	Proof of the application of water to beneficial use shall be filed on or before	May 8, 1980
Commencement of work filed IN 19197/ Completion of work filed IN 19197/ Proof of beneficial use filed IN 19197/ Cultural map filed IN TESTIMONY WHEREOF, I KULAND D. WESTERGARD, State Engineer of Nevada, have hereunto set my hand and the seal of my office, this 8th day of February.  A D 19 77		
AD 19 77	Commencement of work filed	have hereunto set my hand and the seal of
	Certificate No	TO Welley

Abrogated By58062 0.123,5876 0.2145